

AWG	Area (mm ²)	Max. Rating (A)*
30	0,05	1,3
28	0,10	1,8
26	0,15	2,9
24	0,25	4
22	0,40	7
20	0,60	11
18	0,96	16
16	1,2	22
14	2,0	32
12	3,1	41
10	4,7	53
8	8,6	70
6	14	96
4	22	130
2	34	175
0	53	235
00	67	275
000	85	315
0000	107	365

Multicore cables are subject to the following multiplication factors

Number of strands	Factor
2	x 0,8
3	x 0,7
4	x 0,6
5	x 0,55
10	x 0,45
20	x 0,35
30	x 0,30
50	x 0,25

* Measured in air with PTFE, FEP or ETFE isolation